

AIRBOT One™

THE ULTIMATE ROBOT



USER GUIDE

STARTING UP THE ROBOT



When using it first, here is how to set up the AirBot One's 2 HD cameras. It is highly recommended to familiarize yourself with the use of the robot before using it in the dock.

1. Connect the robot to the control box with the cable (Ethernet connector - threaded socket).
2. Put the robot's case power on by plugging in the power cord and turn the contact key.
3. Open the software called AirBot One on the desktop.

**The cameras are configured at the factory, however it is sometimes necessary to configure them again. Follow the configuration steps below as needed.*

CAMERAS CONFIGURATION

1. Open the software called **Security Monitor Pro** on the desktop.
2. Click on the tab **add a new camera**.




3. Set the camera type to **WEBCAM** and select **C922 Pro Stream Webcam** for the front camera.

4. Click **OK** and then **Create**

5. **Repeat steps 2 to 4** to add the rear camera and select **Full HD Webcam**.



**The camera should start automatically, otherwise follow the 'Remove Camera' step and resume installation.*



CAMERAS MANAGEMENT

ADD, REMOVE OR EDIT CAMERAS

To add, remove or edit cameras, click on **Manage Cameras**.



RECORDING AND PHOTOS

RECORDING :

1. Click the **red record button**.
2. **Select cameras** you want to record in the new pop-up window.
3. Click **Start Recording**.






PHOTO CAPTURE :

1. **Click right** on either camera to choose **Take photo**.


By default, your photos and videos are saved into this folder :
Documents\Security Monitor Pro\Media

You can change the destination file into the app settings :
Tools > Application Settings > Video and Photo



FULL-SCREEN MODE :

1. To preview camera full-screen, **click Full Preview** button.
2. To exit full-screen preview mode, **click on the X button** in top right corner.




PERSONALIZED RECORDING

TEXT, DATE AND TIME STAMP

When both cameras are installed and ready to work, it is possible to add **Date and Time Stamp**, as well as the addition of **Text Caption**.

1. Click on **Manage Cameras**.
2. **Select the camera** you want to edit and **click on Edit Camera**.
3. Click on **Labels** tab and select **Date and Time Stamp** and/or **Text Caption**.
4. **Repeat** steps for the other camera




Display the name of cameras, for example "Front Cam" and "Rear Cam" using text caption.

ADD YOUR BRAND LOGO

In the camera editing menu, it's also possible to add your custom logo when recording video or photo.


1. Click on **Manage Cameras**.
2. **Select the camera** you want to edit and **click on Edit Camera**.
3. Click on **Labels** tab and select **Include Watermark**.
4. **Repeat** steps for the other camera



TROUBLESHOOT

In case of any problems connecting either of the cameras, please follow those steps :

1. Right-click and select **Remove Camera**.
1. Then, **resume the camera installation procedure**.
1. If not resolved, **unplug all the wiring** and **start again**.
1. If you get the message “Camera in use” while adding a camera, **right-click** on the camera preview and **select Stop Preview** and then **try adding the camera**.



If you have any other questions regarding the cameras configuration, general robot's controls or anything else, contact us, we will be pleased to help you !

support@ltecanada.com

+1 800-557-0966

We are continuously improving, please feel free to send us your comments and suggestions.